



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

K&Z, Inc.
Citgo 107
8632 N 107th St
Milwaukee, WI

10/28/2009

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Code Number	Description of Violation	Correct By
4-301.14	Perky's pizza impinger oven is not under a hood. Provide an approved ventilaton hood for all required cooking equipment.	11/9/2009
4-601.11	The interior of the untensil drawers are dirty. Clean out the drawers and maintain clean.	11/9/2009
5-103.11	The hot water for the handwashing sink takes serveral minutes to reach a warm termperture. Hot water must be provided within 20 seconds of activation. Provide an adequate hot water supply.	11/9/2009
6-501.18	All handwashing sinks must have hot water (85-110 degrees F) and both soap and single-service towels. Maintain all handwashing sinks.	11/9/2009

Notes:

NOTE: Keep all food being returned for credit, separate from other foods. Remove the clutter from the kitchen area.
Reminder: No bagging your own ice without proper handwashing sink, stainless steel tables and proper floor/wall/ceiling coverings.

On 10/28/2009, I served these orders upon K&Z, Inc. by leaving this report with

Inspector Signature (Inspector ID:4)

Operator Signature